E700A

Android Smart EPOS
Empowers Smart Retail

Food & Beverage

Fashion & Retail

SMARTECR

Powered by
PayDroid 7.1

PCI 5
SRED

12.5" FHD
6" Display

2MP
Rear

Advanced
Connectivity

www.pax.com.cn

PAXSTORE

SPECIFICATIONS

	Operating System	PayDroid Powered by Android 7.1
	Processor	Quad Cores Cortex-A53, 1.8GHz
	Memory	16GB eMMC Flash + 2GB DDR RAM Extended microSD Card Slot Up to 128GB
	Payment Module	PayDroid Powered by Android 7.1
		Quad Cores Cortex-A53, 1.8GHz
		Hybrid Chip & PIN + Magnetic Stripe | NFC Contactless
	Cameras	2MP Rear-Facing
	Display	12.5" IPS 1920 x 1080 Pixels FHD Touch Screen AR6 Payment Module: 6" IPS 1280 x 720 Pixels Capacitive Touch Screen
	Comms Configurations	Optional: 4G + 3G + 2G Wi-Fi® 2.4GHz/5GHz + **Bluetooth® 4.2** + Ethernet
	SIM / SAM	1 SAM + 1 SIM (4G version)
	Printer	75 lines/sec | Paper Roll Outer Diameter: 80mm Automatic Receipt Cutter
	Power Supply	Input: 100 - 240V AC | Output: 24V DC, 2.7A
	Battery	2600mAh | 3.7V
	Keys / Buttons	4 Keys: Power | Volume+ | Volume- | Printer Cover Lock
	Ports	4 Type-A Host | 1 Type-C OTG | 1 Cash Drawer | 1 Ethernet | 1 RS232 | 1 Audio Jack | 1 HDMI
	Physical	309.3 x 333.67 x 161.75mm
	Environmental	0°C ~ 50°C (32°F ~ 122°F) Operating Temperature -20°C ~ 70°C (-4°F ~ 158°F) Storage Temperature 5% ~ 96% Relative Humidity, Non-Condensing
	Certifications	PCI PTS 5.x SRED | EMV L1 & L2 | EMV Contactless L1 | Visa payWave | Mastercard contactless | UPI qUICS | American Expresspay | Discover D-PAS | JCB J/Speedy | Interac Flash | Mastercard TQM | Common.SECC UKCC | CE | RoHs | CCC | FCC | IC | UL | PTCRB | BIS | WPC

PAXサービス株式会社　http://www.payservice.co.jp/　お問い合わせは：info@payservice.co.jp